

NOWADAYS

150 Progress
Irvine, CA 92618
hello@trynowadays.com
(714)-248-5446
Lic. # H525028589162

Sample: 2307ACTMI0804.3306

Strain: Disruptive
Batch#: ; Batch Size: 1 units
Sample Received: 07/11/2023; Report Created: 07/14/2023

NOWADAYS 6mg

Ingestible, Beverage
METRC Batch: 0; METRC Sample: ; METRC Manifest:



Cannabinoids (SOP 801-MI) - Date Tested: 07/12/2023 Complete

Analyte	LOQ mg/unit	Mass mg/unit	Mass mg/g
*CBDVa	2.662	ND	ND
CBDV	3.992	ND	ND
CBDa	1.774	ND	ND
CBGa	3.105	ND	ND
CBG	0.532	<LOQ	<LOQ
CBD	3.992	ND	ND
THCV	5.323	ND	ND
*THCVa	3.549	ND	ND
CBN	0.355	ND	ND
*CBNa	4.880	ND	ND
Δ9-THC	0.710	6.417	0.145
Δ8-THC	0.754	ND	ND
*CBL	10.203	ND	ND
CBC	0.000	0.108	0.002
THCa	6.654	ND	ND
CBCa	9.316	ND	ND
Total		6.525	0.147


1 Unit = , 44.360g

6.417 mg/unit 0.0188%	ND	6.525 mg/unit
Total THC	Total CBD	Total Cannabinoids

Total THC = THCa * 0.877 + Δ⁹-THC + Δ⁸-THC; Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
* The following cannabinoids have not been evaluated by the CRA.
Total THC per bottle = 0.0188%

Terpene Summary

Total Terpenes:
0.0000%



LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.
* The following terpenes have not been evaluated by the MRA.
Notes:

Safety

Pass Pesticides (SOP 804-MI)	Pass Microbials (SOP 401-MI)	NT Water Activity (SOP 206 MI)
Pass Solvents (SOP 601-MI)	Pass Foreign Matter (SOP 203-MI)	Pass Heavy Metals (SOP 902-MI)



NOWADAYS

150 Progress
Irvine, CA 92618
hello@trynowadays.com
(714)-248-5446
Lic. # H525028589162

Sample: 2307ACTMI0804.3306

Strain: Disruptive
Batch#: ; Batch Size: 1 units
Sample Received: 07/11/2023; Report Created: 07/14/2023

NOWADAYS 6mg

Ingestible, Beverage
METRC Batch: 0; METRC Sample: ; METRC Manifest:



Terpenes (SOP 601-MI) - Date Tested: 07/13/2023

Analyte	LOQ	Mass	Mass	Analyte	LOQ	Mass	Mass
	%	%	PPM		%	%	PPM
α-Bisabolol	0.0078	ND	NC	γ-Terpinene	0.0078	ND	NC
α-Cedrene	0.0078	ND	NC	Geraniol	0.0078	NR	NR
α-Humulene	0.0078	ND	NC	Geranyl Acetate	0.0078	ND	ND
α-Phellandrene	0.0078	ND	NC	Guaiol	0.0078	ND	ND
α-Pinene	0.0078	ND	NC	Isoborneol	0.0078	ND	ND
α-Terpinene	0.0098	ND	NC	Isopulegol	0.0078	ND	ND
α-Terpineol	0.0078	ND	NC	Limonene	0.0078	ND	ND
alpha-Thujone	0.0078	ND	NC	Linalool	0.0078	ND	ND
β-Caryophyllene	0.0078	ND	NC	m-Cymene	0.0078	ND	ND
β-Farnesene	0.0079	ND	NC	Menthol	0.0078	ND	ND
β-Myrcene	0.0078	ND	NC	Menthone	0.0078	ND	NC
β-Pinene	0.0078	ND	NC	Nerol	0.0078	ND	NC
Borneol	0.0078	ND	NC	Nootkatone	0.0078	ND	NC
Camphene	0.0078	ND	NC	o-Cymene	0.0078	ND	NC
Camphor	0.0078	ND	NC	Octyl Acetate	0.0078	ND	NC
Carvacrol	0.0156	ND	NC	Phytane	0.0078	ND	NC
Carvone	0.0078	ND	NC	Phytol	0.1113	ND	NC
Caryophyllene Oxide	0.0078	ND	NC	Pulegone	0.0078	NR	NR
Cedrol	0.0078	ND	NC	(+)-Pulegone	0.0078	ND	NC
cis-Citral	0.0078	ND	NC	p-Cymene	0.0078	ND	NC
cis-Farnesol	0.0078	ND	NC	Sabinene	0.0078	ND	NC
cis-Nerolidol	0.0078	ND	NC	Sabinene Hydrate	0.0078	ND	NC
cis-Ocimene	0.0078	ND	NC	Safranal	0.0078	ND	NC
Citronellol	0.0078	ND	NC	Terpinen-4-ol	0.0078	ND	NC
δ-3-Carene	0.0078	ND	NC	Terpinolene	0.0078	ND	NC
δ-Isomenthone	0.0078	ND	NC	Thymol	0.0078	ND	NC
delta-Valerolactam	0.0078	ND	NC	trans-Nerolidol	0.0078	ND	NC
Eucalyptol	0.0078	ND	NC	trans-Ocimene	0.0078	ND	NC
Fenchol	0.0078	ND	NC	Valencene	0.0078	ND	NC
Fenchone	0.0078	ND	NC	Verbenone	0.0078	ND	NC
Total						0.0000	0

Primary Aromas

0.0000%
Total Terpenes

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.
* The following terpenes have not been evaluated by the MRA.

ACT Labs Michigan (Lic. #AU-SC-000106)
617 E Hazel St.
Lansing, MI
(517) 278-9333
www.actlaboratoriesinc.com

Robert Miller, PhD (COO), Laboratory Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

NOWADAYS

150 Progress
Irvine, CA 92618
hello@trynowadays.com
(714)-248-5446
Lic. # H525028589162

Sample: 2307ACTMI0804.3306

Strain: Disruptive
Batch#: ; Batch Size: 1 units
Sample Received: 07/11/2023; Report Created: 07/14/2023

NOWADAYS 6mg

Ingestible, Beverage
METRC Batch: 0; METRC Sample: ; METRC Manifest:



Residual Solvents(SOP 601-MI) - Date Tested: 07/13/2023 **Pass**

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,2-Dichloro-Ethane	0	5	ND	Pass
Acetone	3	5000	ND	Pass
Acetonitrile	2	410	ND	Pass
Benzene	0	2	ND	Pass
Butanes	28	5000	ND	Pass
Chloroform	0	60	ND	Pass
Dichloromethane	0	600	ND	Pass
Ethanol	3	5000	ND	Pass
Ethyl-Acetate	4	5000	ND	Pass
Ethyl-Ether	5	5000	ND	Pass
Ethylene Oxide	0	50	ND	Pass
Heptanes	9	5000	ND	Pass
Hexanes	14	290	ND	Pass
Isopropanol	1	5000	ND	Pass
Methanol	5	3000	ND	Pass
Pentanes	16	5000	ND	Pass
Propane	11	5000	ND	Pass
Toluene	5	890	ND	Pass
Trichloroethene	0	80	ND	Pass
Xylenes	12	2170	ND	Pass
Total			0	

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Microbials(SOP 401-MI) - Date Tested: 07/14/2023 **Pass**

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus	0.1	ND	Pass
Coliforms	1000.0	ND	Pass
STEC	0.1	ND	Pass
Salmonella	0.1	ND	Pass
Yeast & Mold	100000.0	ND	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Heavy Metals(SOP 601-MI) - Date Tested: 07/13/2023 **Pass**

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Arsenic	0.08	0.40	ND	Pass
Cadmium	0.08	0.40	ND	Pass
Chromium	0.08	1.20	ND	Pass
Lead	0.23	1.00	ND	Pass
Mercury	0.08	0.20	ND	Pass
Nickel	0.23	1.00	ND	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Not Tested
NT
Water Activity
(SOP 206-MI)



NOWADAYS

150 Progress
Irvine, CA 92618
hello@trynowadays.com
(714)-248-5446
Lic. # H525028589162

Sample: 2307ACTMI0804.3306

Strain: Disruptive
Batch#: ; Batch Size: 1 units
Sample Received: 07/11/2023; Report Created: 07/14/2023

NOWADAYS 6mg

Ingestible, Beverage
METRC Batch: 0; METRC Sample: ; METRC Manifest:



Pesticides (SOP 804-MI) - Date Tested: 07/13/2023

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.000	0.500	ND	Pass	Hexythiazox	0.001	1.000	ND	Pass
Acephate	0.000	0.400	ND	Pass	Imazalil	0.000	0.200	ND	Pass
Acequinocyl	0.001	2.000	ND	Pass	Imidacloprid	0.000	0.400	ND	Pass
Acetamiprid	0.000	0.200	ND	Pass	Kresoxim Methyl	0.000	0.400	ND	Pass
Aldicarb	0.000	0.400	ND	Pass	Malathion	0.000	0.200	ND	Pass
Azoxystrobin	0.000	0.200	ND	Pass	Metalaxyl	0.000	0.200	ND	Pass
Bifenazate	0.000	0.200	ND	Pass	Methiocarb	0.000	0.200	ND	Pass
Bifenthrin	0.000	0.200	ND	Pass	Methomyl	0.000	0.400	ND	Pass
Boscalid	0.000	0.400	ND	Pass	Methyl Parathion	0.000	0.200	ND	Pass
Carbaryl	0.000	0.200	ND	Pass	MGK-264	0.000	0.200	ND	Pass
Carbofuran	0.000	0.200	ND	Pass	Myclobutanil	0.000	0.200	ND	Pass
Chlorantraniliprole	0.000	0.200	ND	Pass	Naled	0.000	0.500	ND	Pass
Chlorfenapyr	0.001	1.000	ND	Pass	Oxamyl	0.001	1.000	ND	Pass
Chlorpyrifos	0.000	0.200	ND	Pass	Paclobutrazol	0.000	0.400	ND	Pass
Clofentezine	0.000	0.200	ND	Pass	Permethrins	0.000	0.200	ND	Pass
Cyfluthrin	0.001	1.000	ND	Pass	Phosmet	0.000	0.200	ND	Pass
Cypermethrin	0.001	1.000	ND	Pass	Prallethrin	0.000	0.200	ND	Pass
Daminozide	0.001	1.000	ND	Pass	Propiconazole	0.000	0.400	ND	Pass
Diazinon	0.000	0.200	ND	Pass	Propoxur	0.000	0.200	ND	Pass
Dichlorvos	0.001	1.000	ND	Pass	Pyrethrins	0.001	1.000	ND	Pass
Dimethoate	0.000	0.200	ND	Pass	Pyridaben	0.000	0.200	ND	Pass
Ethoprophos	0.000	0.200	ND	Pass	Spinosad	0.000	0.200	ND	Pass
Etofenprox	0.000	0.400	ND	Pass	Spiromesifen	0.000	0.200	ND	Pass
Etoxazole	0.000	0.200	ND	Pass	Spirotetramat	0.000	0.200	ND	Pass
Fenoxycarb	0.000	0.200	ND	Pass	Spiroxamine	0.000	0.400	ND	Pass
Fenpyroximate	0.000	0.400	ND	Pass	Tebuconazole	0.000	0.400	ND	Pass
Fipronil	0.000	0.400	ND	Pass	Thiacloprid	0.000	0.200	ND	Pass
Flonicamid	0.001	1.000	ND	Pass	Thiamethoxam	0.000	0.200	ND	Pass
Fludioxonil	0.000	0.400	ND	Pass	Trifloxystrobin	0.000	0.200	ND	Pass

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

ACT Labs Michigan (Lic. #AU-SC-000106)
617 E Hazel St.
Lansing, MI
(517) 278-9333
www.actlaboratoriesinc.com

Robert Miller, PhD (COO), Laboratory Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

NOWADAYS

150 Progress
Irvine, CA 92618
hello@trynowadays.com
(714)-248-5446
Lic. # H525028589162

Sample: 2307ACTMI0804.3306

Strain: Disruptive
Batch#: ; Batch Size: 1 units
Sample Received: 07/11/2023; Report Created: 07/14/2023

NOWADAYS 6mg

Ingestible, Beverage
METRC Batch: 0; METRC Sample: ; METRC Manifest:



pH (SOP 416-MI) - Date Tested: 07/12/2023

3.46 ph
pH

Other

Analyte	Result
Color Change	
Phase Separation	
Turbidity (NTU)	undefined
Water Loss (%)	undefined

