

## Nowadays

150 Progress  
Irvine, CA 92618  
info@trynowadays.com  
(714) 367-4386  
Lic. #H525028589162

Sample: 2412ACTMI1670.8181

Strain: Nowadays - Original  
Batch#: ; Batch Size: 2 units  
Sample Received: 12/03/2024; Report Created: 12/04/2024

## Nowadays - Original - 10mg

Ingestible, Beverage, Other  
Batch: NOW750-10-19; METRC Sample: NA; METRC Manifest: NA



## Cannabinoids (SOP 801-MI) - Date Tested: 12/04/2024 Complete

Analyte	LOQ mg/unit	Mass mg/Serving	Mass mg/g
*CBDVa	0.130	ND	ND
CBDV	0.130	ND	ND
CBDa	0.130	ND	ND
CBGa	0.130	ND	ND
CBG	0.130	0.316	0.007
CBD	0.130	ND	ND
THCV	0.130	ND	ND
*THCVa	0.130	ND	ND
CBN	0.130	<LOQ	<LOQ
Δ9-THC	0.130	9.513	0.211
Δ8-THC	0.130	ND	ND
CBC	0.130	<LOQ	<LOQ
THCa	0.130	ND	ND
CBCa	0.130	ND	ND
<b>Total</b>		<b>9.829</b>	<b>0.218</b>

## Terpene Summary

**Total Terpenes:**

1 Serving = 45.000g

9.513 mg/Serving	ND	9.829 mg/Serving
Total THC	Total CBD	Total Cannabinoids

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD  
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
\* The following cannabinoids have not been evaluated by the CRA.

## Safety

Pesticides (SOP 804-MI)	Microbials (SOP 401-MI)	NT Not Tested Water Activity (SOP 206 MI)
Solvents (SOP 601-MI)	Foreign Matter (SOP 203-MI)	Heavy Metals (SOP 902-MI)

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Terpene analysis result is an estimate as the sample response is typically outside the standard curve linear response.

\* The following terpenes have not been evaluated by the MRA.  
Notes:

ACT Labs Michigan (Lic. #AU-SC-000106)  
617 E Hazel St.  
Lansing, MI  
(517) 278-9333  
www.actlaboratoriesinc.com

*Joseff Albarran*  
Joseff Albarran Laboratory Supervisor

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Sample selection completed according to SOP 204. This product has been tested by ACT Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.