

Certificate of Analysis

Produced: Jan 16, 2025

Sample: Nowadays Berry 10mg HD9 16oz (Edible Liquid) • Client: Blaze Life • Batch: Pass



Batch No.: BR010725
Matrix: Edible Liquid
Density: 0.98402 g/ml
Sample ID: ICC-250110-31-002
Collected on: Jan 10, 2025
Received on: Jan 10, 2025
Sample Size:
Received By: Rizelle Capanzana
Package Size: 477.11 g
Serving Size: 238.55 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Foreign	Pass	Pesticides	Pass
Metals	Pass	Solvents	Pass
Microbial	Pass		

Cannabinoid Overview

Total THC:	5.20 mg/srv
Total CBD:	0.00 mg/srv
Total Cannabinoids:	5.20 mg/srv
Sum of Cannabinoids:	5.20 mg/srv

POT-INST-005: POT-INST-005: Potency • Jan 13, 2025

Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)	Analyte	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/g)
CBC			ND	ND	0.00111/0.00332	CBT			ND	ND	0.000479/0.00168
CBD			ND	ND	0.000338/0.00168	Δ ⁸ -THC			ND	ND	0.000271/0.00168
CBDA			ND	ND	0.000808/0.00242	Δ ⁹ -THC	5.20	10.4	0.00218	0.0215	0.000447/0.00168
CBDV			ND	ND	0.000268/0.00168	THCA			ND	ND	0.000615/0.00184
CBG			ND	ND	0.000382/0.00168	THCV			ND	ND	0.000207/0.00168
CBGA			ND	ND	0.000596/0.00179	Total THC**	5.20	10.4	0.00218	0.0215	
CBL			ND	ND	0.000264/0.00168	Total CBD**			ND	ND	
CBN			ND	ND	0.000382/0.00168						

** Total THC = Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001. Compliance requirements for this test are taken from California Cannabis regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Colorado Pesticides by LC-MS/MS • Jan 15, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Kresoxim-methyl	0.03	ND	0.0100/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Malathion	0.01	ND	0.00500/0.0100	Pass
Acephate	0.03	ND	0.0100/0.0300	Pass	Metalaxyl	0.01	ND	0.00500/0.0100	Pass
Acequinocyl	0.075	ND	0.0200/0.0750	Pass	Methiocarb	0.01	ND	0.00500/0.0100	Pass
Acetamiprid	0.03	ND	0.0100/0.0300	Pass	Methomyl	0.025	ND	0.0100/0.0250	Pass
Aldicarb	0.03	ND	0.0100/0.0300	Pass	Methoprene	0.05	ND	0.0250/0.0500	Pass
Allethrin	0.03	ND	0.0150/0.0300	Pass	Mevinphos	0.025	ND	0.0100/0.0250	Pass
Atrazine	0.005	ND	0.00500/0.00500	Pass	Myclobutanil	0.01	ND	0.00500/0.0100	Pass
Azadirachtin	0.05	ND	0.0300/0.0500	Pass	Naled	0.03	ND	0.0200/0.0300	Pass
Azoxystrobin	0.01	ND	0.00500/0.0100	Pass	Novaluron	0.02	ND	0.0100/0.0200	Pass
Benzovindiflupyr	0.005	ND	0.00500/0.00500	Pass	Oxamyl	0.03	ND	0.0200/0.0300	Pass
Bifenazate	0.01	ND	0.00500/0.0100	Pass	Paclobutrazol	0.01	ND	0.00500/0.0100	Pass
Bifenthrin	0.03	ND	0.00500/0.0300	Pass	Permethrin	0.03	ND	0.00831/0.0300	Pass
Boscalid	0.01	ND	0.00500/0.0100	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Buprofezin	0.03	ND	0.0150/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.025	ND	0.0100/0.0250	Pass	Phenothrin	0.03	ND	0.0150/0.0300	Pass
Carbofuran	0.01	ND	0.00500/0.0100	Pass	Phosmet	0.03	ND	0.0200/0.0300	Pass
Chlorantraniliprole	0.03	ND	0.0100/0.0300	Pass	Piperonylbutoxide	0.03	ND	0.0100/0.0300	Pass
Chlorpyrifos	0.075	ND	0.0100/0.0750	Pass	Pirimicarb	0.01	ND	0.00500/0.0100	Pass
Clofentezine	0.01	ND	0.00500/0.0100	Pass	Prallethrin	0.075	ND	0.0300/0.0750	Pass
Clothianidin	0.01	ND	0.00500/0.0100	Pass	Propiconazole	0.03	ND	0.0100/0.0300	Pass
Coumaphos	0.01	ND	0.00500/0.0100	Pass	Propoxur	0.01	ND	0.00500/0.0100	Pass
Cyantraniliprole	0.01	ND	0.00500/0.0100	Pass	Pyraclostrobin	0.01	ND	0.00500/0.0100	Pass
Cyhalothrin lambda	0.05	ND	0.0300/0.0500	Pass	Pyrethrins	0.03	ND	0.00431/0.0300	Pass
Cyprodinil	0.01	ND	0.00500/0.0100	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Daminozide	0.075	ND	0.0500/0.0750	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Deltamethrin	0.05	ND	0.0250/0.0500	Pass	Pyridaben	0.02	ND	0.0100/0.0200	Pass
Diazinon	0.03	ND	0.0100/0.0300	Pass	Pyriproxyfen	0.01	ND	0.00500/0.0100	Pass
Dichlorvos	0.05	ND	0.0200/0.0500	Pass	Resmethrin	0.05	ND	0.0250/0.0500	Pass
Dimethoate	0.01	ND	0.00500/0.0100	Pass	Spinetoram	0.03	ND	0.00639/0.0300	Pass
Dimethomorph	0.03	ND	0.0100/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Dinotefuran	0.05	ND	0.0250/0.0500	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Diuron	0.01	ND	0.00500/0.0100	Pass	Spinosad	0.03	ND	0.00410/0.0300	Pass
Dodemorph	0.02	ND	0.0100/0.0200	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Ethoprophos	0.01	ND	0.00500/0.0100	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Etofenprox	0.03	ND	0.0100/0.0300	Pass	Spirodiclofen	0.05	ND	0.0250/0.0500	Pass
Etoxazole	0.03	ND	0.0100/0.0300	Pass	Spiromesifen	0.03	ND	0.0100/0.0300	Pass
Fenhexamid	0.045	ND	0.0200/0.0450	Pass	Spirotetramat	0.01	ND	0.00500/0.0100	Pass
Fenoxycarb	0.01	ND	0.00500/0.0100	Pass	Spiroxamine	0.03	ND	0.0200/0.0300	Pass
Fenpyroximate	0.03	ND	0.0100/0.0300	Pass	Tebuconazole	0.01	ND	0.00500/0.0100	Pass
Fensulfothion	0.01	ND	0.00500/0.0100	Pass	Tebufenozide	0.01	ND	0.00500/0.0100	Pass
Fenthion	0.0068	ND	0.00227/0.00680	Pass	Teflubenzuron	0.02	ND	0.0100/0.0200	Pass
Fipronil	0.01	ND	0.00500/0.0100	Pass	Tetrachlorvinphos	0.01	ND	0.00500/0.0100	Pass
Fonicamid	0.025	ND	0.0100/0.0250	Pass	Tetramethrin	0.05	ND	0.0250/0.0500	Pass
Fludioxonil	0.01	ND	0.00500/0.0100	Pass	Thiabendazole	0.01	ND	0.00500/0.0100	Pass
Fluopyram	0.005	ND	0.00500/0.00500	Pass	Thiacloprid	0.01	ND	0.00500/0.0100	Pass
Hexythiazox	0.03	ND	0.0100/0.0300	Pass	Thiamethoxam	0.01	ND	0.00500/0.0100	Pass
Imazalil	0.01	ND	0.00500/0.0100	Pass	Thiophanate-methyl	0.02	ND	0.0100/0.0200	Pass
Imidacloprid	0.01	ND	0.00500/0.0100	Pass	Trifloxystrobin	0.01	ND	0.00500/0.0100	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Colorado Pesticides by GC-MS/MS • Jan 15, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan	0.353	ND	0.118/0.353	Pass	Iprodione	0.475	ND	0.158/0.475	Pass
β-Endosulfan	0.239	ND	0.0797/0.239	Pass	Kinoprene	0.221	ND	0.0738/0.221	Pass
Chlorfenapyr	0.0244	ND	0.00814/0.0244	Pass	Methyl parathion	0.0257	ND	0.00857/0.0257	Pass
Cyfluthrin	0.0384	ND	0.0128/0.0384	Pass	MGK-264	Any amt	ND		Pass
Cypermethrin	0.0525	ND	0.0175/0.0525	Pass	MGK-264 I		ND	0.00152/0.00457	N/A
Endosulfan sulfate	0.0257	ND	0.00856/0.0257	Pass	MGK-264 II		ND	0.00392/0.0118	N/A
Etridiazole	0.0441	ND	0.0147/0.0441	Pass	Quintozene	0.016	ND	0.00533/0.0160	Pass
Fenvalerate	0.402	ND	0.134/0.402	Pass					

Compliance requirements for this test are taken from Colorado Hemp regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jan 15, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

Utah RS-PREP-001, Utah RS-INST-003: Utah RS-PREP-001, Utah RS-INST-003: Utah Residual Solvents by GC-MS • Jan 14, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dimethoxyethane	100	ND	6.00/18.0	Pass	Ethyl acetate	5000	ND	0.692/5.06	Pass
1,4-Dioxane	380	ND	12.9/38.6	Pass	Ethylbenzene		ND	3.50/10.5	N/A
1-Butanol	5000	ND	3.10/9.40	Pass	Ethylene glycol	620	ND	3.40/10.3	Pass
1-Pentanol	5000	ND	10.0/29.9	Pass	Ethylene oxide	50	ND	0.338/1.28	Pass
2,2-Dimethylbutane	290	ND	0.900/2.60	Pass	Ethyl ether	5000	ND	2.61/7.84	Pass
2,3-Dimethylbutane	290	ND	0.900/2.80	Pass	Heptane	5000	ND	1.52/6.32	Pass
2-Butanol	5000	ND	9.60/28.7	Pass	Hexane	290	ND	0.146/0.621	Pass
2-Butanone	5000	ND	7.20/21.6	Pass	Isopropyl acetate	5000	ND	4.10/12.4	Pass
2-Ethoxyethanol	160	ND	3.90/11.6	Pass	Methanol	3000	ND	6.57/19.7	Pass
2-Methylbutane	5000	ND	0.700/2.00	Pass	Methylpropane	5000	ND	10.2/30.7	Pass
2-Methylpentane	290	ND	9.10/27.2	Pass	N,N-Dimethylacetamide	1090	ND	269/807	Pass
2-Propanol	5000	9.39	2.83/8.48	Pass	N,N-Dimethylformamide	880	ND	2.70/8.20	Pass
3-Methylpentane	290	ND	7.40/22.1	Pass	Pentane	5000	ND	2.13/9.44	Pass
Acetone	5000	ND	37.7/113	Pass	Propane	5000	ND	9.80/29.4	Pass
Acetonitrile	410	ND	0.265/0.793	Pass	Propanol	5000	ND	7.00/21.0	Pass
Benzene	2	ND	0.0464/0.141	Pass	Pyridine	100	ND	19.6/58.6	Pass
Butane	5000	ND	2.15/10.7	Pass	Sulfolane	160	ND	22.9/68.7	Pass
Cumene	70	ND	8.30/25.0	Pass	Tetrahydrofuran	720	ND	6.20/18.6	Pass
Cyclohexane	3880	ND	8.40/25.3	Pass	Toluene	890	ND	0.194/1.91	Pass
Dichloromethane	600	ND	4.00/11.9	Pass	o-Xylene		ND	0.222/1.89	N/A
Dimethyl sulfoxide	5000	ND	8.40/25.2	Pass	p- and m-Xylene		ND	0.255/3.79	N/A
Ethanol	5000	ND	5.78/17.3	Pass	Total xylenes + Ethylbenzene	2170	ND		Pass

Compliance requirements for this test are taken from Utah Hemp regulations.

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Jan 14, 2025

Analyte	Amt (CFU/g)	Pass/Fail	Analyte	Amt (CFU/g)	Pass/Fail
Aspergillus flavus	ND	N/A	Aspergillus terreus	ND	N/A
Aspergillus fumigatus	ND	N/A	Salmonella spp.	ND	Pass
Aspergillus niger	ND	N/A	Shiga toxin-producing E. coli	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Jan 15, 2025

Analyte	Amt (CFU/g)	Pass/Fail
Aerobic Bacteria	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Jan 15, 2025

Analyte	Amt (CFU/g)	Pass/Fail
Yeast & Mold	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Jan 15, 2025

Analyte	Amt (CFU/g)	Pass/Fail
Coliforms	ND	Pass

Compliance requirements for this test are taken from Colorado Hemp regulations.

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Jan 13, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

