



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29060

Nowadays 750ml

BioTrack Lot ID: NWD75010.006
 BioTrack Sample ID:
 Confident ID: 2503SMIL0330.2067
 Sample Type: Beverage

Sample Collected: 03/25/2025
 Sample Received: 03/25/2025
 Report Published: 04/01/2025



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Tested	Residual Solvents Tested	0.0215% Total THC
Pesticides Tested	Mycotoxins Tested	Heavy Metals Tested	0.000145% Total CBD
Foreign Matter Tested	Moisture Analysis Not Tested	Water Activity Not Tested	0.0226% Total Cannabinoids
	Terpenes Tested		0.0% Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.
 CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29060

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/27/2025
 Analyzed By: Agilent 1260 HPLC
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	-5e05	0.000100	ND	ND	ND	ND
CBCA	-5e05	0.000100	ND	ND	ND	ND
CBDV	-5e05	0.000100	ND	ND	ND	ND
CBDVA	-5e05	0.000100	ND	ND	ND	ND
CBD	-5e05	0.000100	0.000145	0.00145	0.0652	1.11
CBDA	-5e05	0.000100	ND	ND	ND	ND
CBG	-5e05	0.000100	0.000683	0.00683	0.307	5.23
CBGA	-5e05	0.000100	ND	ND	ND	ND
CBN	-5e05	0.000100	ND	ND	ND	ND
Δ8-THC	-5e05	0.000100	ND	ND	ND	ND
Δ8-THCV	-5e05	0.000100	NT	NT	NT	NT
Δ9-THC	-5e05	0.000100	0.0215	0.215	9.67	164
Δ9-THCV	-5e05	0.000100	0.000296	0.00297	0.133	2.27
THCVA	-5e05	0.000100	ND	ND	ND	ND
THCA	-5e05	0.000100	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.0215	0.215	9.67	164
Total CBD	0.000145	0.00145	0.0652	1.11
Total Cannabinoids	0.0226	0.226	10.2	173

Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all analytes


Serving Weight: 45g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29060


Terpenes

Tested

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/28/2025
 Analyzed By: GC-FID
 SOP: SOP_TERP_002

Analyte	LOD (%)	LOQ (%)	Results (%)	Analyte	LOD (%)	LOQ (%)	Results (%)
3-Carene	0.00294	0.00881	ND	Fenchone	0.00586	0.0176	ND
α-Bisabolol	0.00294	0.00881	ND	Geraniol	0.00294	0.00881	ND
α-Cedrene	0.00294	0.00881	ND	Geranyl Acetate	0.00294	0.00881	ND
α-Humulene	0.00294	0.00881	ND	Guaiol	0.00294	0.00881	ND
α-Phellandrene	0.00294	0.00881	ND	Isoborneol	0.00294	0.00881	ND
α-Pinene	0.00294	0.00881	ND	Isopulegol	0.00294	0.00881	ND
α-Terpinene	0.00294	0.00881	ND	Limonene	0.00294	0.00881	ND
β-Caryophyllene	0.00294	0.00881	ND	Linalool	0.00294	0.00881	ND
β-Myrcene	0.00586	0.0176	ND	Menthol	0.00294	0.00881	ND
β-Pinene	0.00294	0.00881	ND	Nerol	0.00294	0.00881	ND
Borneol	0.00586	0.0176	ND	Pulegone	0.00294	0.00881	ND
Camphene	0.00294	0.00881	ND	Sabinene Hydrate	0.00294	0.00881	ND
Camphor	0.00881	0.0264	ND	Terpineol	0.00294	0.00881	ND
Caryophyllene Oxide	0.00294	0.00881	ND	Terpinolene	0.00294	0.00881	ND
Cedrol	0.00294	0.00881	ND	trans-Nerolidol	0.00294	0.00881	ND
cis-Nerolidol	0.00294	0.00881	ND	trans-Ocimene	0.00245	0.00736	ND
cis-Ocimene	0.000487	0.00145	ND	Valencene	0.00294	0.00881	ND
endo-Fenchyl Alcohol	0.00294	0.00881	ND	γ-Terpinene	0.00294	0.00881	ND
Eucalyptol	0.00294	0.00881	ND				



Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29060

Pesticides

Tested

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/27/2025
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Acetamiprid	4.58	9.16	ND	Flonicamid	11.4	22.9	ND
Aldicarb	9.16	18.3	ND	Imidacloprid	9.16	18.3	ND
Bifenthrin	9.16	18.3	ND	Kresoxim Methyl	4.58	9.16	ND
Carbaryl	9.16	18.3	ND	Metalaxyl	9.16	18.3	ND
Carbofuran	9.16	18.3	ND	Oxamyl	22.9	45.8	ND
Chlorantraniliprole	9.16	18.3	ND	Phosmet	9.16	18.3	ND
Chlorpyrifos	4.58	9.16	ND	Pyridaben	4.58	9.16	ND
Clofentezine	4.58	9.16	ND	Spiromesifen	4.58	9.16	ND
Diazinon	9.16	18.3	ND	Spirotetramat	4.58	9.16	ND
Ethrophos	9.16	18.3	ND	Tebuconazole	18.3	36.6	ND
Etofenprox	4.58	9.16	ND	Thiamethoxam	9.16	18.3	ND
Etoxazole	4.58	9.16	ND	Trifloxystrobin	4.58	9.16	ND
Fenpyroximate	4.58	9.16	ND				

Mycotoxins

Tested

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/27/2025
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001


Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Aflatoxin B1	6.04	18.3	ND
Aflatoxin B2	6.04	18.3	ND
Aflatoxin G1	6.04	18.3	ND
Aflatoxin G2	6.04	18.3	ND
Ochratoxin A	6.04	18.3	ND

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29060

Heavy Metals

Tested

Sample Analysis

Sample Prep Date: 03/28/2025
 Sample Analysis Date: 03/31/2025
 Analyzed By: Agilent 7800 ICP-MS
 SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Cadmium	1.77	88.4	ND
Mercury	1.77	8.84	ND
Lead	1.77	88.4	ND
Chromium	1.77	88.4	ND
Arsenic	1.77	88.4	< LOQ

Microbial Impurities

Tested

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/28/2025
 Analyzed By: 3M Petrifilm
 SOP: SOP_MICRO_001


Analyte	Results (cfu/g)
Total Aerobic Bacteria	ND
Total Bile-Tolerant Gram-Negative Bacteria	ND
Total Coliforms	ND
Total Yeast & Mold	ND
<i>E.coli</i> (pathogenic strains)	Not Detected
<i>Salmonella</i> spp.	Not Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29060

Residual Solvents

Tested

Sample Analysis

Sample Prep Date: 03/27/2025
 Sample Analysis Date: 03/28/2025
 Analyzed By: GCMS
 SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)
Acetone	5.97	11.9	ND
Butane	5.97	11.9	ND
Ethanol	5.97	11.9	329
Ethyl Acetate	5.97	11.9	ND
Ethyl Ether	5.97	11.9	ND
Ethylene Oxide	0.995	1.99	ND
Heptane	5.97	11.9	ND
Hexane	5.97	11.9	ND
Isopropyl Alcohol	5.97	11.9	ND
Methanol	5.97	11.9	ND
Methylene Chloride	5.97	11.9	ND
Pentane	5.97	11.9	ND
Petroleum Ether	5.97	11.9	ND
Propane	5.97	11.9	ND
Trichloroethylene	5.97	11.9	ND
Toluene	5.97	11.9	ND
Xylenes	11.9	23.9	ND

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2503SMIL0330.2067
 BioTrack Lot ID: NWD75010.006



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29060

Foreign Matter

0.0%

Sample Analysis

Sample Prep Date: 03/26/2025
 Sample Analysis Date: 03/26/2025
 Analyzed By: Visual Inspection
 SOP: SOP_FM_001




Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.