



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Nowadays 750ml

BioTrack Lot ID:
 BioTrack Sample ID: NWD75010.007
 Confident ID: 2504SMIL0363.2252
 Sample Type: Beverage

Sample Collected: 04/03/2025
 Sample Received: 04/03/2025
 Report Published: 04/08/2025



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Pass	Residual Solvents Pass	0.0206% Total THC
Pesticides Pass	Mycotoxins Pass	Heavy Metals Pass	0.000105% Total CBD
Foreign Matter Pass	Moisture Analysis Not Tested	Water Activity Not Tested	0.0219% Total Cannabinoids
	Terpenes Tested		0.0% Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.
 CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 04/03/2025
 Sample Analysis Date: 04/04/2025
 Analyzed By: Agilent 1260 HPLC
 SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	-5e05	0.000100	0.000177	0.00177	0.0796	1.35
CBCA	-5e05	0.000100	ND	ND	ND	ND
CBDV	-5e05	0.000100	ND	ND	ND	ND
CBDVA	-5e05	0.000100	ND	ND	ND	ND
CBD	-5e05	0.000100	0.000105	0.00105	0.0474	0.806
CBDA	-5e05	0.000100	ND	ND	ND	ND
CBG	-5e05	0.000100	0.000656	0.00656	0.295	5.02
CBGA	-5e05	0.000100	ND	ND	ND	ND
CBN	-5e05	0.000100	0.000202	0.00202	0.0909	1.55
Δ8-THC	-5e05	0.000100	ND	ND	ND	ND
Δ8-THCV	-5e05	0.000100	NT	NT	NT	NT
Δ9-THC	-5e05	0.000100	0.0206	0.206	9.27	158
Δ9-THCV	-5e05	0.000100	0.000162	0.00162	0.0728	1.24
THCVA	-5e05	0.000100	ND	ND	ND	ND
THCA	-5e05	0.000100	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.0206	0.206	9.27	158
Total CBD	0.000105	0.00105	0.0474	0.806
Total Cannabinoids	0.0219	0.219	9.86	168

Total THC = THCa * 0.877 + Δ9-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all analytes


Serving Weight: 45g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Terpenes

Tested

Sample Analysis

Sample Prep Date: 04/04/2025
 Sample Analysis Date: 04/07/2025
 Analyzed By: GC-FID
 SOP: SOP_TERP_002


Analyte	LOD (%)	LOQ (%)	Results (%)	Analyte	LOD (%)	LOQ (%)	Results (%)
3-Carene	0.00310	0.00930	ND	Fenchone	0.00618	0.0186	ND
α-Bisabolol	0.00310	0.00930	ND	Geraniol	0.00310	0.00930	ND
α-Cedrene	0.00310	0.00930	ND	Geranyl Acetate	0.00310	0.00930	ND
α-Humulene	0.00310	0.00930	ND	Guaiol	0.00310	0.00930	ND
α-Phellandrene	0.00310	0.00930	ND	Isoborneol	0.00310	0.00930	ND
α-Pinene	0.00310	0.00930	ND	Isopulegol	0.00310	0.00930	ND
α-Terpinene	0.00310	0.00930	ND	Limonene	0.00310	0.00930	ND
β-Caryophyllene	0.00310	0.00930	ND	Linalool	0.00310	0.00930	ND
β-Myrcene	0.00618	0.0186	ND	Menthol	0.00310	0.00930	ND
β-Pinene	0.00310	0.00930	ND	Nerol	0.00310	0.00930	ND
Borneol	0.00618	0.0186	ND	Pulegone	0.00310	0.00930	ND
Camphene	0.00310	0.00930	ND	Sabinene Hydrate	0.00310	0.00930	ND
Camphor	0.00930	0.0279	ND	Terpineol	0.00310	0.00930	ND
Caryophyllene Oxide	0.00310	0.00930	ND	Terpinolene	0.00310	0.00930	ND
Cedrol	0.00310	0.00930	ND	trans-Nerolidol	0.00310	0.00930	ND
cis-Nerolidol	0.00310	0.00930	ND	trans-Ocimene	0.00259	0.00776	ND
cis-Ocimene	0.000514	0.00153	ND	Valencene	0.00310	0.00930	ND
endo-Fenchyl Alcohol	0.00310	0.00930	ND	γ-Terpinene	0.00310	0.00930	ND
Eucalyptol	0.00310	0.00930	ND	Total Terpenes	-	-	ND

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Pesticides

Pass

Sample Analysis

Sample Prep Date: 04/04/2025
 Sample Analysis Date: 04/07/2025
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Acetamiprid	4.57	9.14	ND	10	Flonicamid	11.4	22.8	ND	30
Aldicarb	9.14	18.3	ND	20	Imidacloprid	9.14	18.3	ND	20
Bifenthrin	9.14	18.3	ND	50	Kresoxim Methyl	4.57	9.14	ND	10
Carbaryl	9.14	18.3	ND	20	Metalaxyl	9.14	18.3	ND	20
Carbofuran	9.14	18.3	ND	100	Oxamyl	22.8	45.7	ND	50
Chlorantraniliprole	9.14	18.3	ND	20	Phosmet	9.14	18.3	ND	40
Chlorpyrifos	4.57	9.14	ND	10	Pyridaben	4.57	9.14	ND	10
Clofentezine	4.57	9.14	ND	10	Spiromesifen	4.57	9.14	ND	10
Diazinon	9.14	18.3	ND	50	Spirotetramat	4.57	9.14	ND	10
Ethrophosphos	9.14	18.3	ND	20	Tebuconazole	18.3	36.5	ND	50
Etofenprox	4.57	9.14	ND	10	Thiamethoxam	9.14	18.3	ND	20
Etoazole	4.57	9.14	ND	10	Trifloxystrobin	4.57	9.14	ND	10
Fenpyroximate	4.57	9.14	ND	15					

Mycotoxins

Pass

Sample Analysis

Sample Prep Date: 04/04/2025
 Sample Analysis Date: 04/07/2025
 Analyzed By: Agilent Ultivo LC-MS/MS
 SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Aflatoxin B1	6.03	18.3	ND	20
Aflatoxin B2	6.03	18.3	ND	20
Aflatoxin G1	6.03	18.3	ND	20
Aflatoxin G2	6.03	18.3	ND	20
Ochratoxin A	6.03	18.3	ND	20

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Heavy Metals

Pass

Sample Analysis

Sample Prep Date: 04/03/2025
 Sample Analysis Date: 04/04/2025
 Analyzed By: Agilent 7800 ICP-MS
 SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Limit (ppb)
Cadmium	1.57	78.4	ND	500
Mercury	1.57	7.84	ND	3000
Lead	1.57	78.4	ND	1000
Chromium	1.57	78.4	< LOQ	2000
Arsenic	1.57	78.4	< LOQ	1500

Microbial Impurities

Pass

Sample Analysis

Sample Prep Date: 04/04/2025
 Sample Analysis Date: 04/06/2025
 Analyzed By: 3M Petrifilm
 SOP: SOP_MICRO_001

Analyte	Results (cfu/g)	Limit (cfu/g)
Total Aerobic Bacteria	87	10000
Total Bile-Tolerant Gram-Negative Bacteria	ND	100
Total Coliforms	ND	100
Total Yeast & Mold	ND	1000
<i>E.coli</i> (pathogenic strains)	Not Detected	Detected
<i>Salmonella</i> spp.	Not Detected	Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



CERTIFICATE OF ANALYSIS
 License #: 800000016

Certificate: 29267

Residual Solvents

Pass

Sample Analysis

Sample Prep Date: 04/04/2025
 Sample Analysis Date: 04/07/2025
 Analyzed By: GCMS
 SOP: SOP-RS-001

Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)	Limit (ppm)
Acetone	7.39	14.8	ND	5000
Butane	7.39	14.8	ND	5000
Ethanol	7.39	14.8	307	5000
Ethyl Acetate	7.39	14.8	ND	5000
Ethyl Ether	7.39	14.8	ND	5000
Ethylene Oxide	1.23	2.46	ND	50
Heptane	7.39	14.8	ND	5000
Hexane	7.39	14.8	ND	290
Isopropyl Alcohol	7.39	14.8	ND	5000
Methanol	7.39	14.8	ND	3000
Methylene Chloride	7.39	14.8	ND	600
Pentane	7.39	14.8	ND	5000
Petroleum Ether	7.39	14.8	ND	400
Propane	7.39	14.8	ND	5000
Trichloroethylene	7.39	14.8	ND	80
Toluene	7.39	14.8	ND	5000
Xylenes	14.8	29.6	ND	2170

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Brella Beverage
 2021 W Fulton St K105B
 Chicago IL
 License #:
 Confident ID: 2504SMIL0363.2252
 BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29267

Foreign Matter

Pass 0.0%

Sample Analysis

Sample Prep Date: 04/07/2025
 Sample Analysis Date: 04/07/2025
 Analyzed By: Visual Inspection
 SOP: SOP_FM_001




Report Notes:

Philip Trivisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
 8205 Cass Ave. Ste. 106
 Darien, IL 60561
 (872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.