

## Nowadays

Order No.: OMIELBN0416-0006009  
 150 Progress  
 California, 92618  
 info@trynowadays.com  
 7143674386

Sample: SMIELBN0416-IBEV-0002926

Unit Weight: 45.0000g  
 Sample Size: 2.0000 Units  
 Sample Received: 04/16/2025 17:13  
 Report Created: 04/18/2025 14:25  
 Sampling SOP 204

NOW750-10-40 - Nowadays - Original - 10 mg  
 Ingestible, Beverage



## Results

**10.1560 mg/unit**  
 D9-THC

**0.3646 mg/unit**  
 CBG

**0.0000 mg/unit**  
 Total CBD

**10.1560 mg/unit**  
 Total THC

**10.5205 mg/unit**  
 Total Cannabinoids



## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Not Tested	<b>Water Activity</b> Not Tested
<b>Foreign Matter</b> Pass	<b>Terpenes</b> Not Tested	<b>VEA / MCT Oil</b> Not Tested	<b>Phytol</b> Tested
<b>Residual Solvents</b> Not Tested	<b>Mycotoxins</b> Not Tested	<b>Heavy Metals</b> Not Tested	<b>Pesticides</b> Pass
<b>Miscellaneous</b> Tested			



## Nowadays

Order No.: OMIELBN0416-0006009  
 150 Progress  
 California, 92618  
 info@trynowadays.com  
 7143674386

Sample: SMIELBN0416-IBEV-0002926

Unit Weight: 45.0000g  
 Sample Size: 2.0000 Units  
 Sample Received: 04/16/2025 17:13  
 Report Created: 04/18/2025 14:25  
 Sampling SOP 204

NOW750-10-40 - Nowadays - Original - 10 mg

Ingestible, Beverage



## Cannabinoids

SOP 801, SOP 301

Tested

Analyte	LOQ (%)	%	mg/g	mg/unit
CBDVa	0.000	ND	ND	ND
CBDV	0.000	ND	ND	ND
CBDa	0.000	ND	ND	ND
CBGa	0.000	ND	ND	ND
CBG	0.000	<b>0.0008</b>	<b>0.0081</b>	<b>0.3646</b>
CBD	0.000	< LOQ	< LOQ	< LOQ
THCV	0.000	< LOQ	< LOQ	< LOQ
THCVa	0.000	ND	ND	ND
CBN	0.000	< LOQ	< LOQ	< LOQ
D9-THC	0.000	<b>0.0226</b>	<b>0.2257</b>	<b>10.1560</b>
D8-THC	0.000	ND	ND	ND
CBC	0.000	< LOQ	< LOQ	< LOQ
THCa	0.000	ND	ND	ND
CBCa	0.000	ND	ND	ND
Total CBD		0.0000	0.0000	0.0000
Total THC		<b>0.0226</b>	<b>0.2257</b>	<b>10.1560</b>
Total Cannabinoids		<b>0.0234</b>	<b>0.2338</b>	<b>10.5205</b>

### Notes:

**Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation; Cannabinoid potency values are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.**

## Foreign Matter

SOP 203-MI

Date/Time Tested: 04/18/2025 11:36

Pass

### Analyte

Analyte	%
FM Stems	0.00
FM Organic	0.00
FM Inorganic	Absent

## Phytol

SOP 806-MI

Tested

### Analyte

Analyte	LOQ (ppm)	%
Phytol	1,057.93	ND



◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Nowadays

Order No.: OMIELBN0416-0006009  
 150 Progress  
 California, 92618  
 info@trynowadays.com  
 7143674386

Sample: SMIELBN0416-IBEV-0002926

Unit Weight: 45.0000g  
 Sample Size: 2.0000 Units  
 Sample Received: 04/16/2025 17:13  
 Report Created: 04/18/2025 14:25  
 Sampling SOP 204

NOW750-10-40 - Nowadays - Original - 10 mg  
 Ingestible, Beverage



## Pesticides

SOP 804-MI, SOP 814-MI

Pass

Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status	Analyte	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	0.25	0.5	ND	Passed	Hexythiazox	0.5	1	ND	Passed
Acephate	0.2	0.4	ND	Passed	Imazalil	0.1	0.2	ND	Passed
Acequinocyl	1	2	ND	Passed	Imidacloprid	0.2	0.4	ND	Passed
Acetamiprid	0.1	0.2	ND	Passed	Kresoxim Methyl	0.2	0.4	ND	Passed
Aldicarb	0.2	0.4	ND	Passed	Malathion	0.1	0.2	ND	Passed
Azoxystrobin	0.1	0.2	ND	Passed	Metalaxyl	0.1	0.2	ND	Passed
Bifenazate	0.1	0.2	ND	Passed	Methiocarb	0.1	0.2	ND	Passed
Bifenthrin	0.1	0.2	ND	Passed	Methomyl	0.2	0.4	ND	Passed
Boscalid	0.2	0.4	ND	Passed	Myclobutanil	0.1	0.2	ND	Passed
Carbaryl	0.1	0.2	ND	Passed	Naled	0.25	0.5	ND	Passed
Carbofuran	0.1	0.2	ND	Passed	Oxamyl	0.5	1	ND	Passed
Chlorantraniliprole	0.1	0.2	ND	Passed	Paclobutrazol	0.2	0.4	ND	Passed
Chlorpyrifos	0.1	0.2	ND	Passed	Permethrin	0.1	0.2	ND	Passed
Clofentezine	0.1	0.2	ND	Passed	Phosmet	0.1	0.2	ND	Passed
Cyfluthrin	0.5	1	ND	Passed	Prallethrin	0.1	0.2	ND	Passed
Cypermethrin	0.5	1	ND	Passed	Propiconazole	0.2	0.4	ND	Passed
Daminozide	0.5	1	ND	Passed	Propoxur	0.1	0.2	ND	Passed
Diazinon	0.1	0.2	ND	Passed	Pyrethrins	0.5	1	ND	Passed
Dichlorvos	0.5	1	ND	Passed	Pyridaben	0.1	0.2	ND	Passed
Dimethoate	0.1	0.2	ND	Passed	Spinosyn AD	0.1	0.2	ND	Passed
Ethoprophos	0.1	0.2	ND	Passed	Spiromesifen	0.1	0.2	ND	Passed
Etofenprox	0.2	0.4	ND	Passed	Spirotetramat	0.1	0.2	ND	Passed
Etoxazole	0.1	0.2	ND	Passed	Spiroxamine	0.2	0.4	ND	Passed
Fenoxycarb	0.1	0.2	ND	Passed	Tebuconazole	0.2	0.4	ND	Passed
Fenpyroximate	0.2	0.4	ND	Passed	Thiacloprid	0.1	0.2	ND	Passed
Fipronil	0.2	0.4	ND	Passed	Thiamethoxam	0.1	0.2	ND	Passed
Fonicamid	0.5	1	ND	Passed	Trifloxystrobin	0.1	0.2	ND	Passed
Fludioxonil	0.2	0.4	ND	Passed					

### Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specification established by the Laboratory.



◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

SC-000018,AU-SC-000106  
ACT Laboratories (MI)  
617 E. Hazel, Lansing, Michigan  
8448228522  
joea@actlab.com

Compliance

Adult Use

4 of 4

## Nowadays

Order No.: OMIELBN0416-0006009  
150 Progress  
California, 92618  
info@trynowadays.com  
7143674386

Sample: SMIELBN0416-IBEV-0002926

Unit Weight: 45.0000g  
Sample Size: 2.0000 Units  
Sample Received: 04/16/2025 17:13  
Report Created: 04/18/2025 14:25  
Sampling SOP 204

NOW750-10-40 - Nowadays - Original - 10 mg  
Ingestible, Beverage



## Miscellaneous

SOP 104-MI  
Date/Time Tested: 04/18/2025 12:24

Tested

### Analyte

pH

### Result

2.84 ph



◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.