

Certificate of Analysis

Produced: Apr 30, 2025

Sample: Nowadays Spicy Lime 10mg HD9 16oz (Edible Liquid) • Client: Blaze Life • Batch: Pass



Manufacturer Info

Manufacturer
Blaze Life LLC
(818) 724-7687 9021 Canoga Ave
Canoga Park, CA 91304

License
CDPH IH PFR 122392
Cannabinoid Hemp - Processor

Batch No.: SL042325

Matrix: Edible Liquid

Density: 0.99168 g/ml

Sample ID: ICC-250425-45-001

Collected on: Apr 25, 2025

Received on: Apr 25, 2025

Sample Size:

Received By: Melissa Jamrus

Package Size: 467.72 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Total THC:	9.92 mg/pkg
Total CBD:	0.00 mg/pkg
Total Cannabinoids:	9.92 mg/pkg
Sum of Cannabinoids:	9.92 mg/pkg

POT-INST-005: POT-INST-005: Potency

Analyte	Amt	Amt	LOD/LOQ (mg/ml)	Pass/Fail	Analyte	Amt	Amt	LOD/LOQ (mg/ml)	Pass/Fail
CBC	ND	ND	0.00108/0.00323	N/A	THCA	ND	ND	0.000600/0.00179	N/A
CBD	ND	ND	0.000330/0.00164	N/A	THCV	ND	ND	0.000202/0.00164	N/A
CBDA	ND	ND	0.000789/0.00237	N/A	Total THC**	0.00212 %	0.021 mg/ml		N/A
CBDV	ND	ND	0.000262/0.00164	N/A	Total CBD**	ND	ND		N/A
CBG	ND	ND	0.000373/0.00164	N/A	CBD/Pkg	ND			N/A
CBGA	ND	ND	0.000581/0.00175	N/A	Δ ⁹ -THC/Pkg	9.92 mg			N/A
CBL	ND	ND	0.000257/0.00164	N/A	Total THC/Pkg**	9.92 mg			N/A
CBN	ND	ND	0.000373/0.00164	N/A	Total CBD/Pkg**	ND			N/A
CBT	ND	ND	0.000468/0.00164	N/A	Total Cannabinoids**	0.00212 %	0.021 mg/ml		N/A
Δ ⁸ -THC	ND	ND	0.000265/0.00164	N/A	Total Cannabinoids/Pkg**	9.92 mg			N/A
Δ ⁹ -THC	0.00212 %	0.021 mg/ml	0.000436/0.00164	N/A					

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



Utah RS-PREP-001, Utah RS-INST-003: Utah RS-PREP-001, Utah RS-INST-003: Utah Residual Solvents by GC-MS • Apr 28, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dimethoxyethane	100	ND	6.00/18.0	Pass	Ethyl acetate	5000	ND	14.3/42.8	Pass
1,4-Dioxane	380	ND	12.9/38.6	Pass	Ethylbenzene		ND	3.50/10.5	N/A
1-Butanol	5000	ND	3.10/9.40	Pass	Ethylene glycol	620	ND	3.40/10.3	Pass
1-Pentanol	5000	ND	10.0/29.9	Pass	Ethylene oxide	50	ND	6.50/19.6	Pass
2,2-Dimethylbutane	290	ND	0.900/2.60	Pass	Ethyl ether	5000	ND	6.80/20.4	Pass
2,3-Dimethylbutane	290	ND	0.900/2.80	Pass	Heptane	5000	ND	0.400/1.20	Pass
2-Butanol	5000	ND	9.60/28.7	Pass	Hexane	290	ND	0.500/1.50	Pass
2-Butanone	5000	ND	7.20/21.6	Pass	Isopropyl acetate	5000	ND	4.10/12.4	Pass
2-Ethoxyethanol	160	ND	3.90/11.6	Pass	Methanol	3000	ND	18.4/55.3	Pass
2-Methylbutane	5000	ND	0.700/2.00	Pass	Methylpropane	5000	ND	10.2/30.7	Pass
2-Methylpentane	290	ND	9.10/27.2	Pass	N,N-Dimethylacetamide	1090	ND	269/807	Pass
2-Propanol	5000	ND	11.5/34.6	Pass	N,N-Dimethylformamide	880	ND	2.70/8.20	Pass
3-Methylpentane	290	ND	7.40/22.1	Pass	Pentane	5000	ND	0.800/2.50	Pass
Acetone	5000	ND	8.20/24.7	Pass	Propane	5000	ND	7.90/23.8	Pass
Acetonitrile	410	ND	8.40/25.1	Pass	Propanol	5000	ND	7.00/21.0	Pass
Benzene	2	ND	0.400/1.10	Pass	Pyridine	100	ND	19.6/58.6	Pass
Butane	5000	ND	9.60/28.7	Pass	Sulfolane	160	ND	22.9/68.7	Pass
Cumene	70	ND	8.30/25.0	Pass	Tetrahydrofuran	720	ND	6.20/18.6	Pass
Cyclohexane	3880	ND	8.40/25.3	Pass	Toluene	890	ND	0.400/1.20	Pass
Dichloromethane	600	ND	4.00/11.9	Pass	o-Xylene		ND	8.80/26.3	N/A
Dimethyl sulfoxide	5000	ND	8.40/25.2	Pass	p- and m-Xylene		ND	1.60/4.90	N/A
Ethanol	5000	701	4.80/14.4	Pass	Total xylenes + Ethylbenzene	2170	ND		Pass

Compliance requirements for this test are taken from Utah Hemp regulations.

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Apr 28, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Additional Heavy Metals Testing by ICP-MS • Apr 28, 2025

Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Chromium		ND	0.00926/0.0278	N/A	Nickel		ND	0.00517/0.0155	N/A
Copper		ND	0.0109/0.0326	N/A					

Compliance requirements for this test are taken from California Cannabis regulations.

MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • Apr 29, 2025

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Aspergillus flavus	ND	N/A	Aspergillus terreus	ND	N/A
Aspergillus fumigatus	ND	N/A	Salmonella spp.	ND	Pass
Aspergillus niger	ND	N/A	Shiga toxin-producing E. coli	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-002: MICR-002: Petrifilm-Aerobic • Apr 30, 2025

Analyte	Amt	Pass/Fail
Aerobic Bacteria	ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-005, MICR-006: MICR-005, MICR-006: Petrifilm-Rapid Yeast & Mold • Apr 30, 2025

Analyte	Amt	Pass/Fail
Yeast & Mold	ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

MICR-002: MICR-002: Petrifilm-Coliforms • Apr 30, 2025

Analyte	Amt	Pass/Fail
Coliforms	ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Apr 29, 2025


Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.60/7.88	N/A	Aflatoxin G2		ND	1.89/5.72	N/A
Aflatoxin B2		ND	2.04/6.18	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.97/8.99	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Colorado Pesticides by GC-MS/MS • Apr 28, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
α-Endosulfan	0.353	ND	0.118/0.353	Pass	Iprodione	0.475	ND	0.158/0.475	Pass
β-Endosulfan	0.239	ND	0.0797/0.239	Pass	Kinoprene	0.221	ND	0.0738/0.221	Pass
Chlorfenapyr	0.0244	ND	0.00814/0.0244	Pass	Methyl parathion	0.0257	ND	0.00857/0.0257	Pass
Cyfluthrin	0.0384	ND	0.0128/0.0384	Pass	MGK-264	Any amt	ND		Pass
Cypermethrin	0.0525	ND	0.0175/0.0525	Pass	MGK-264 I		ND	0.00152/0.00457	N/A
Endosulfan sulfate	0.0257	ND	0.00856/0.0257	Pass	MGK-264 II		ND	0.00392/0.0118	N/A
Etridiazole	0.0441	ND	0.0147/0.0441	Pass	Quintozene	0.016	ND	0.00533/0.0160	Pass
Fenvalerate	0.402	ND	0.134/0.402	Pass					

Compliance requirements for this test are taken from Colorado Hemp regulations.



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Colorado Pesticides by LC-MS/MS • Apr 29, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Kresoxim-methyl	1	ND	0.0100/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Malathion	5	ND	0.00500/0.0100	Pass
Acephate	5	ND	0.0100/0.0300	Pass	Metalaxyl	15	ND	0.00500/0.0100	Pass
Acequinocyl	4	ND	0.0200/0.0750	Pass	Methiocarb	Any amt	ND	0.00500/0.0100	Pass
Acetamiprid	5	ND	0.0100/0.0300	Pass	Methomyl	0.1	ND	0.0100/0.0250	Pass
Aldicarb	Any amt	ND	0.0100/0.0300	Pass	Methoprene		ND	0.0250/0.0500	N/A
Allethrin		ND	0.0150/0.0300	N/A	Mevinphos	Any amt	ND	0.0100/0.0250	Pass
Atrazine		ND	0.00500/0.00500	N/A	Myclobutanil	9	ND	0.00500/0.0100	Pass
Azadirachtin		ND	0.0300/0.0500	N/A	Naled	0.5	ND	0.0200/0.0300	Pass
Azoxystrobin	40	ND	0.00500/0.0100	Pass	Novaluron		ND	0.0100/0.0200	N/A
Benzovindiflupyr		ND	0.00500/0.00500	N/A	Oxamyl	0.2	ND	0.0200/0.0300	Pass
Bifenazate	5	ND	0.00500/0.0100	Pass	Paclobutrazol	Any amt	ND	0.00500/0.0100	Pass
Bifenthrin	0.5	ND	0.00500/0.0300	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Boscalid	10	ND	0.00500/0.0100	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Buprofezin		ND	0.0150/0.0300	N/A	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.0100/0.0250	Pass	Phenothrin		ND	0.0150/0.0300	N/A
Carbofuran	Any amt	ND	0.00500/0.0100	Pass	Phosmet	0.2	ND	0.0200/0.0300	Pass
Chlorantraniliprole	40	ND	0.0100/0.0300	Pass	Piperonylbutoxide	8	ND	0.0100/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0100/0.0750	Pass	Pirimicarb		ND	0.00500/0.0100	N/A
Clofentezine	0.5	ND	0.00500/0.0100	Pass	Prallethrin	0.4	ND	0.0300/0.0750	Pass
Clothianidin		ND	0.00500/0.0100	N/A	Propiconazole	20	ND	0.0100/0.0300	Pass
Coumaphos	Any amt	ND	0.00500/0.0100	Pass	Propoxur	Any amt	ND	0.00500/0.0100	Pass
Cyantraniliprole		ND	0.00500/0.0100	N/A	Pyraclostrobin		ND	0.00500/0.0100	N/A
Cyhalothrin lambda		ND	0.0300/0.0500	N/A	Pyrethrins	1	ND	0.00431/0.0300	Pass
Cyprodinil		ND	0.00500/0.0100	N/A	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Daminozide	Any amt	ND	0.0500/0.0750	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Deltamethrin		ND	0.0250/0.0500	N/A	Pyridaben	3	ND	0.0100/0.0200	Pass
Diazinon	0.2	ND	0.0100/0.0300	Pass	Pyriproxyfen		ND	0.00500/0.0100	N/A
Dichlorvos	Any amt	ND	0.0200/0.0500	Pass	Resmethrin		ND	0.0250/0.0500	N/A
Dimethoate	Any amt	ND	0.00500/0.0100	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Dimethomorph	20	ND	0.0100/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Dinotefuran		ND	0.0250/0.0500	N/A	Spinetoram L		ND	0.00500/0.0100	N/A
Diuron		ND	0.00500/0.0100	N/A	Spinosad	3	ND	0.00410/0.0300	Pass
Dodemorph		ND	0.0100/0.0200	N/A	Spinosad A		ND	0.00500/0.0100	N/A
Ethoprophos	Any amt	ND	0.00500/0.0100	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Etofenprox	Any amt	ND	0.0100/0.0300	Pass	Spirodiclofen		ND	0.0250/0.0500	N/A
Etoxazole	1.5	ND	0.0100/0.0300	Pass	Spiromesifen	12	ND	0.0100/0.0300	Pass
Fenhexamid	10	ND	0.0200/0.0450	Pass	Spirotetramat	13	ND	0.00500/0.0100	Pass
Fenoxycarb	Any amt	ND	0.00500/0.0100	Pass	Spiroxamine	Any amt	ND	0.0200/0.0300	Pass
Fenpyroximate	2	ND	0.0100/0.0300	Pass	Tebuconazole	2	ND	0.00500/0.0100	Pass
Fensulfothion		ND	0.00500/0.0100	N/A	Tebufenozide		ND	0.00500/0.0100	N/A
Fenthion		ND	0.00227/0.00680	N/A	Teflubenzuron		ND	0.0100/0.0200	N/A
Fipronil	Any amt	ND	0.00500/0.0100	Pass	Tetrachlorvinphos		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0100/0.0250	Pass	Tetramethrin		ND	0.0250/0.0500	N/A
Fludioxonil	30	ND	0.00500/0.0100	Pass	Thiabendazole		ND	0.00500/0.0100	N/A
Fluopyram		ND	0.00500/0.00500	N/A	Thiacloprid	Any amt	ND	0.00500/0.0100	Pass
Hexythiazox	2	ND	0.0100/0.0300	Pass	Thiamethoxam	4.5	ND	0.00500/0.0100	Pass
Imazalil	Any amt	ND	0.00500/0.0100	Pass	Thiophanate-methyl		ND	0.0100/0.0200	N/A
Imidacloprid	3	ND	0.00500/0.0100	Pass	Trifloxystrobin	30	ND	0.00500/0.0100	Pass

Compliance requirements for this test are taken from California Cannabis regulations.



Signature